

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

1. (Currently amended) A ureteral stent for facilitating drainage from a kidney of a patient to a bladder of the patient, the ureteral stent comprising:

an elongated portion having first and second ends defining a first portion of an internal lumen extending there[]between, and having a length sufficient to extend substantially within a ureter of the patient from the kidney to the bladder of the patient;

a retention portion extending from the first end of the elongated portion, defining a second portion of the lumen, and defining at least one through aperture for providing fluid communication between the lumen and the kidney, the second portion extending from the first portion and ~~defining at least one through aperture for providing fluid communication between the lumen and the kidney~~, the retention portion being adapted for placement substantially within the kidney; and

a mesh portion extending from the second end of the elongated portion, the mesh portion being adapted for placement substantially within an intramural tunnel portion of the ureter and for extending into the bladder[,] and being collapsible under radial compression from the intramural tunnel portion.

2. (Currently amended) The stent of claim 1, wherein[,] the mesh portion includes an outer covering.

3. (Currently amended) The stent of claim 2, wherein[,] the outer covering includes a polymer.

4. (Currently amended) The stent of claim 3, wherein[,] the polymer includescomprises a material selected from the group consisting of polyurethane, polyamide, silicone, [or]and polyvinyl chloride.

5. (Currently amended) The stent of claim 1, wherein[,] the mesh portion includes an inner lining.

6. (Currently amended) The stent of claim 1, wherein[,] the mesh portion includes a resilient material.
7. (Currently amended) The stent of claim 1, wherein[,] the retention portion includes a J-shaped hook portion.
8. (Currently amended) The stent of claim 1, wherein[,] the retention portion includes at least one loop portion.
9. (Currently amended) A ureteral stent for facilitating drainage in a urinary system of a patient, the ureteral stent comprising:
an elongated portion extending from a first point to a second point and defining a first portion of an internal lumen extending between the first point and the second point, the elongated portion having a length sufficient to extend substantially within a ureter of the patient from a kidney to a bladder of the patient; and
a mesh portion extending from the second point of the elongated portion, the mesh portion being adapted for placement substantially within an intramural tunnel portion of a ureter and for extension into a bladder of the patient and being collapsible under radial compression from the intramural tunnel portion.
10. (Currently amended) The stent of claim 9, wherein[,] the mesh portion includes an outer covering.
11. (Currently amended) The stent of claim 10, wherein[,] the outer covering includes a polymer.
12. (Currently amended) The stent of claim 11, wherein[,] the polymer includescomprises a material selected from the group consisting of polyurethane, polyamide, silicone, [or]and polyvinyl chloride.
13. (Currently amended) The stent of claim 9, wherein[,] the mesh portion includes an inner lining.
14. (Currently amended) The stent of claim 9, wherein[,] the mesh portion includes a resilient material.

15. (Currently amended) A ureteral stent for facilitating drainage from a kidney of a patient to a bladder of the patient, the ureteral stent comprising:

an elongated portion having first and second ends defining a first portion of a lumen extending there[]between, and having a length sufficient to extend substantially within a ureter from the kidney to the bladder of the patient;

a retention portion[,] extending from the first end of the elongated portion, defining a second portion of the lumen, and defining at least one through aperture for providing fluid communication between the lumen and the kidney, the second portion extending from the first portion ~~and defining at least one through aperture for providing fluid communication between the lumen and the kidney~~, and the retention portion being adapted for placement substantially within the kidney; and

a coil portion extending from the second end of the elongated portion and comprising a wound coil, the wound coil portion being adapted for placement substantially within an intramural tunnel portion of the ureter and for extension into the bladder[,] and being collapsible under radial compression from the intramural tunnel portion.

16. (Currently amended) The stent of claim 15, wherein[,] the wound coil includes an outer covering.

17. (Currently amended) The stent of claim 16, wherein[,] the outer covering includes a polymer.

18. (Currently amended) The stent of claim 17, wherein[,] the polymer ~~includes~~comprises a material selected from the group consisting of polyurethane, polyamide, silicone, [or]and polyvinyl chloride.

19. (Currently amended) The stent of claim 15, wherein[,] the wound coil includes an inner lining.

20. (Currently amended) The stent of claim 15, wherein[,] the retention portion includes a J-shaped hook portion.

21. (Currently amended) The stent of claim 15, wherein[,] the retention portion includes at least one loop portion.

22. (Currently amended) A ureteral stent for facilitating drainage in a urinary system of a patient, the ureteral stent comprising:

a wound coil portion adapted for placement substantially within an intramural tunnel portion of a ureter of the patient and for extension into a bladder of the patient[,] and being collapsible under radial compression from the intramural tunnel portion.

23. (Currently amended) The stent of claim 22, wherein[,] the wound coil includes an outer covering.

24. (Currently amended) The stent of claim 23, wherein[,] the outer covering includes a polymer.

25. (Currently amended) The stent of claim 24, wherein[,] the polymer ~~includes~~comprises a material selected from the group consisting of polyurethane, polyamide, silicone, [or]and polyvinyl chloride.

26. (Currently amended) The stent of claim 22, wherein[,] the wound coil includes an inner lining.

27. (Currently amended) A method of placing a ureteral stent in a patient, the method comprising:

providing a ureteral stent comprising[:];

an elongated portion having first and second ends defining a first portion of a lumen extending there[]between, and having a length sufficient to extend substantially within a ureter of the patient from a kidney of the patient to a bladder of the patient;

a retention portion[,] extending from the first end of the elongated portion, defining a second portion of the lumen, and defining at least one through aperture for providing fluid communication between the lumen and the kidney, the second portion extending from the first portion and ~~defining at least one through aperture for providing fluid communication between the lumen and the kidney~~, and the retention portion being adapted for placement substantially within the kidney; and

a mesh portion extending from the second end of the elongated portion, the mesh portion being adapted for placement substantially within an intramural tunnel portion of the ureter and for extension into the bladder[,] and being collapsible under radial compression from the intramural tunnel portion; inserting the ureteral stent into the ureter of the patient; and positioning the ureteral stent in the patient with the retention portion substantially within the kidney of the patient and the mesh portion substantially within the intramural tunnel portion of the ureter and extending into the bladder.

28. (Currently amended) A method of placing a ureteral stent in a patient, the method comprising:

providing a ureteral stent comprising[:];

an elongated portion having first and second ends defining a first portion of a lumen extending there[]between, and having a length sufficient to extend substantially within a ureter of the patient from a kidney to a bladder of the patient;

a retention portion extending from the first end of the elongated portion, defining a second portion of the lumen, and defining at least one through aperture for providing fluid communication between the lumen and the kidney, the second portion extending from the first portion ~~and defining at least one through aperture for providing fluid communication between the lumen and the kidney~~, and the retention portion being adapted for placement substantially within the kidney; and

a coil portion extending from the second end of the elongated portion and including a wound coil, the wound coil being adapted for placement substantially within an intramural tunnel portion of the ureter and for extension into the bladder[,] and being collapsible under radial compression from the intramural tunnel portion;

inserting the ureteral stent into the ureter of the patient; and

positioning the ureteral stent in the patient with the retention portion substantially within the kidney of the patient and the wound coil substantially within the intramural tunnel portion of the ureter and extending into the bladder.